

Zimbabwe (Bulawayo)

2003 Fact Sheet



The **2003 Zimbabwe (Bulawayo) GSHS** measured hygiene; unintentional injuries and violence; mental health; tobacco use; alcohol and other drug use; sexual behaviors; physical activity; and protective factors.

The 2003 Zimbabwe (Bulawayo) GSHS was a school-based survey of students aged 13-15 years. A two-stage cluster sample design was used to produce representative data for 13-15 year old students in Zimbabwe (Bulawayo). At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate. The school response rate was 100%, the student response rate was 84%, and the overall response rate was 84%. A total of 1,804 students participated in the Zimbabwe (Bulawayo) GSHS.

| Results for students aged 13-15 years | Total | Boys | Girls |
|---|------------|------------|------------|
| Hygiene | | | |
| Percentage of students who did not clean or brush their teeth during the past 30 days | 3.4 ± 1.1 | 4.6 ± 2.1 | 2.4 ± 0.8 |
| Percentage of students who never or rarely washed their hands before eating during the past 30 days | 3.2 ± 1.2 | 3.1 ± 1.1 | 3.2 ± 1.7 |
| Percentage of students who never or rarely washed their hands after using the toilet or latrine during the past 30 days | 3.6 ± 2.0 | 4.7 ± 2.7 | 2.9 ± 1.6 |
| Unintentional Injuries and Violence | | | |
| Percentage of students who were in a physical fight one or more times during the past 12 months | 38.8 ± 6.9 | 47.1 ± 7.1 | 32.7 ± 7.4 |
| Percentage of students who were seriously injured one or more times during the past 12 months | 58.9 ± 6.2 | 63.1 ± 5.4 | 55.6 ± 8.9 |
| Percentage of students who were bullied on one or more days during the past 30 days | 59.9 ± 6.3 | 70.2 ± 7.7 | 52.5 ± 8.2 |
| Mental Health | | | |
| Percentage of students who felt lonely most of the time or always during the past 12 months | 16.3 ± 3.0 | 15.2 ± 2.4 | 17.2 ± 3.9 |
| Percentage of students who seriously considered attempting suicide during the past 12 months | 22.9 ± 2.2 | 23.0 ± 3.7 | 22.5 ± 3.5 |
| Percentage of students who have no close friends | 11.6 ± 2.4 | 12.2 ± 3.7 | 11.3 ± 2.2 |
| Tobacco Use | | | |
| Percentage of students who smoked cigarettes on one or more days during the past 30 days | 8.3 ± 2.1 | 10.6 ± 4.3 | 6.6 ± 2.6 |
| Percentage of students who used any other form of tobacco, such as snuff, pipe, shamrock, or chimonera on one or more of the past 30 days | 9.6 ± 2.4 | 12.4 ± 3.8 | 7.6 ± 2.4 |
| Percentage of students who reported people smoking in their presence on one or more of the past seven days | 51.8 ± 5.4 | 56.9 ± 4.8 | 47.8 ± 7.4 |
| Alcohol and Other Drug Use | | | |
| Percentage of students who drank alcohol on one or more of the past 30 days | 20.0 ± 3.5 | 23.2 ± 5.8 | 17.7 ± 5.3 |



Zimbabwe (Bulawayo)

2003 Fact Sheet

| Results for students aged 13-15 years | Total | Boys | Girls |
|---|------------|------------|------------|
| Alcohol and Other Drug Use | | | |
| Percentage of students who drank so much alcohol that they were really drunk one or more times during their life | 19.0 ± 2.3 | 24.2 ± 5.1 | 15.3 ± 3.1 |
| Percentage of students who had a hang-over, felt sick, got into trouble with family or friends, missed school, or got into fights, as a result of drinking alcohol one or more times during their life | 18.4 ± 3.1 | 21.1 ± 4.0 | 16.4 ± 2.7 |
| Percentage of students who used drugs, such as mbanje, dagga, marijuana, or glue one or more times during their life | 10.4 ± 2.5 | 15.8 ± 3.5 | 6.0 ± 2.3 |
| Sexual Behaviors | | | |
| Percentage of students who have ever had sexual intercourse | 11.7 ± 3.5 | 21.9 ± 7.7 | 5.3 ± 2.5 |
| Percentage of students who have had sexual intercourse with two or more people during their life time | 7.0 ± 1.9 | 13.6 ± 3.8 | 2.7 ± 2.0 |
| Of students who had sexual intercourse during the past 12 months, the percentage who used a condom the last time they had sexual intercourse | * | * | * |
| Physical Activity | | | |
| Percentage of students who were physically active seven days for a total of at least 60 minutes per day during the past seven days | 12.8 ± 2.6 | 14.4 ± 4.5 | 11.6 ± 2.7 |
| Percentage of students who spent three or more hours per day sitting and watching television, playing computer games, talking with friends, or doing other sitting activities, such as reading or writing during a typical or usual day | 42.3 ± 4.4 | 42.9 ± 5.4 | 42.0 ± 5.6 |
| Protective Factors | | | |
| Percentage of students who missed classes or school without permission on one or more of the past 30 days | 29.4 ± 4.9 | 37.2 ± 4.4 | 23.6 ± 6.6 |
| Percentage of students who reported that most of the students in their school were kind and helpful most of the time or always during the past 30 days | 34.0 ± 4.4 | 27.4 ± 7.1 | 39.1 ± 4.0 |
| Percentage of students whose parents or guardians knew what they were doing with their free time most of the time or always during the past 30 days | 38.0 ± 3.8 | 34.5 ± 3.8 | 40.7 ± 4.9 |

* indicates less than 100 students.

For Additional Information, please contact:

Dr. Edwin Sithole, Medical Officer
Zimbabwe Association of Church-related Hospitals, Harare, Zimbabwe, egvsithole@hotmail.com